



BET  
9.29.02 3762  
#21IDS

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANT: Juergen A. Kortenbach, et al.

SERIAL NO.: 10/010,247

GROUP ART UNIT: 3762

FILED: December 6, 2001

EXAMINER:

FOR: Apparatus for the Endoluminal  
Treatment of Gastroesophageal Reflux  
Disease (GERD)

ATT'Y DOCKET: SYN-064B

Honorable Commissioner of Patents  
and Trademarks  
Washington, D.C. 20231

I hereby certify that this correspondence is being deposited on  
this day with the United States Postal Service as first class  
mail in an envelope addressed to: Commissioner of Patents and  
Trademarks, Washington, D.C. 20231.

*David P. Gordon*

*Sept 20, 2002*

David P. Gordon  
Reg. No. 29,996

Date

Sir:

SUBMITTAL OF DOCUMENTS PURSUANT TO DUTY OF DISCLOSURE

Pursuant to applicant's duty of disclosure 37 CFR Section 1.56, enclosed is a completed form PTOL-1449 as well as copies of the cited documents which relate to the above-referenced patent application. Since this document submittal is being presented prior to the first examination on the merits, no fee is due herewith.

The listed documents are brought to the Examiner's attention because they are known to the applicant and/or the applicant's attorney and may be considered by the Examiner to be material to his/her examination. This listing should not be construed as representation that a search has been made or that no better art exists. No inference should be made that the documents are in fact material merely because they are referenced herein. Moreover, no representation is made that the brief descriptions of the references herein necessarily describe the most material aspects of the references. Further, by this listing, the applicant is not making any admission regarding the relative dates of the invention and listed disclosures.

Respectfully submitted,

RECEIVED

*David P. Gordon*

SEP 26 2002

David P. Gordon  
Reg. #29,996  
Attorney for Applicant(s)

TECHNOLOGY CENTER R3700

Gordon & Jacobson, P.C.  
65 Woods End Road  
Stamford, CT 06905  
(203) 329-1160